

Enums in Forth

Best Practices and Alternatives

Impromptu Talk

EuroForth'22 conference 2022-09


Ulrich Hoffmann



Overview

Enums in Forth

- Enums in Forth
 - Explicit using *Forth Phrases*[™]
 - Nice Syntax - give names for phrases



Enums in Forth

- enumerations give names to values
- you don't remember all the numbers
- or they are likely to change
- or they are different on different systems

- use CONSTANTS

Nick Nelson:
"I don't like magic numbers."

Enums in Forth

- enumerations give Names to values - explicit with Constants

```
0 Constant black
1 Constant red
2 Constant green
3 Constant yellow

: .color ( c -- )
  dup black = IF drop ." black" EXIT THEN
  dup red = IF drop ." red" EXIT THEN
  dup green = IF drop ." green" EXIT THEN
  dup yellow = IF drop ." yellow" EXIT THEN
  ." color " . ;
```

Enums in Forth

- doing the calculations on your own

```
0
dup Constant black 1+ \ 0
dup Constant red 1+ \ 1
dup Constant green 1+ \ 2
dup Constant yellow 1+ \ 3
drop
```

- let the Forth interpreter do the calculation
- enum operations **dup** and **1+** are in different parts → combine them

dup Constant x 1+ → dup 1+ swap Constant x

Enums in Forth

- doing the calculations on your own

```
0
dup 1+ swap Constant black \ 0
dup 1+ swap Constant red \ 1
dup 1+ swap Constant green \ 2
dup 1+ swap Constant yellow \ 3
drop
```

- explicit with Forth Phrases™
- a Forth Phrases is a sequence of inline forth words with no name
- Attention! Repeated phrases might be sign of bad factoring
- factorization given a name to phrases **over + swap -> bounds**

dup 1+ swap

Enums in Forth

- name the calculation - use the name to do the calculation implicitly
- traditionally (math) names this *iota* (greek letter ι)

```
: iota ( x -- x+1 x ) dup 1+ swap ;  
0  
iota Constant black \ 0  
iota Constant red \ 1  
iota Constant green \ 2  
iota Constant yellow \ 3  
drop
```

1 under+

Enums in Forth

- name the calculation - use the name to do the calculation implicitly
- traditionally (math) names this *iota* (greek letter ι)

```
: ι ( x -- x+1 x ) dup 1+ swap ;  
0  
ι Constant black \ 0  
ι Constant red \ 1  
ι Constant green \ 2  
ι Constant yellow \ 3  
drop
```

1 under+

Enums in Forth

- Using a Defining word and capture Constant

```
: ι ( x -- x+1 x ) dup 1+ swap ;  
: Enum ( n1 -- n2 ) ι Constant ;  
0 Enum black \ 0  
Enum red \ 1  
Enum green \ 2  
Enum yellow \ 3  
drop
```

: Enum (n1 -- n2) dup Constant 1+ ;
see SwiftForth
enum{ black, red, green, yellow } ;
see Vfx

